


## TRUCK-MIXER

## TRAILER LINE C3



### TRAILER LINE - C3

#### Technical Data

Type	AM 10 LL	10 LL
Drive	FHA	SHA
Number of axles	2	2
Nominal volume	m <sup>3</sup> 10	10
Total geometric volume	l 17040	17040
Water line	l 11400	11400
Weight of mixer including semi-trailer	kg 6220**	7300



Overall length	mm	7339	8452
Drum diameter	mm	2300	2300
Height of feed hopper*	mm	3836	3836
Clearance height*	mm	3894	3894

Type	AM 10 BL	10 BL
Drive	FHA	FHA
Number of axles	2	3
Nominal volume	m <sup>3</sup> 10	10
Total geometric volume	l 17040	17040
Water line	l 11400	11400
Weight of mixer including semi-trailer	kg 6540**	7280
Overall length	mm 7339	7726
Drum diameter	mm 2300	2300
Height of feed hopper*	mm 3836	3836
Clearance height*	mm 3894	3894

Type	AM 10 BL	10 BL
Drive	SHA	SHA
Number of axles	2	3
Nominal volume	m <sup>3</sup> 10	10
Total geometric volume	l 17040	17040
Water line	l 11400	11400
Weight of mixer including semi-trailer	kg 7600	8360
Overall length	mm 8452	8502
Drum diameter	mm 2300	2300
Height of feed hopper*	mm 3836	3836
Clearance height*	mm 3894	3894

Type	AM 12 BL	12 BL
Drive	FHA	FHA
Number of axles	2	3
Nominal volume	m <sup>3</sup> 12	12
Total geometric volume	l 19170	19170
Water line	l 13280	13280
Weight of mixer including semi-trailer	kg 7450**	8280**



Overall length	mm 7664	8176
Drum diameter	mm 2400	2400
Height of feed hopper*	mm 3845	3845
Clearance height*	mm 3931	3931
Type	AM 12 BL	12 BL
Drive	SHA	SHA
Number of axles	2	3
Nominal volume	m <sup>3</sup> 12	12
Total geometric volume	l 19170	19170
Water line	l 13280	13280
Weight of mixer including semi-trailer	kg 8500	9250
Overall length	mm 8859	8859
Drum diameter	mm 2400	2400
Height of feed hopper*	mm 3845	3845
Clearance height*	mm 3931	3931

\* Weight indication completely mounted / ready for operation acc. to DIN 70020, tolerance +/- 5 %

\* Depending on tires and turntable height (datas valid for loaded turntable height of 1.250 mm)

\*\* without settle down supports and without hydraulic assy (250 kg) mounted on truck tractor

Subject to modification serving the engineering process.

Stetter truck mixer on semi-trailers – the ideal complement. Truck mixer body and semi-trailer have been optimally coordinated to form compact units guaranteeing a high loading volume, high payloads and optimum driving characteristics thanks to a low center of gravity and extraordinary ease of maintenance.